

PVD SATIN GUN METAL

THE NEW LOOK OF STAINLESS STEEL







MAXIMUM RESISTANCE IN **CONTEMPORARY** STYLE

A trendy "Dark tone" finish with a satin effect that reflects current trends in modern living style.

The new PVD Gun Metal Satin finish is reminiscent of the anthracite that since its discover has inspired technological advances and transportation developments.

The main feature of this finish on stainless steel material is the excellent corrosion resistance. PVD Gun Metal Satin on stainless steel material has obtained the **GRADE 5**, maximum degree of resistance to salt spray corrosion test according to **UNI-EN1670** standard.



INOX PVD GM Stainless Steel PVD Satin Gun Metal







PVD SATIN GUN METAL



Excellent resistance to corrosion





Maximum degree (5) of resistance - EN1670



10 years warranty

THE PVD TREATMENT (PHYSICAL VAPOUR DEPOSITION)









TEST	RESULT
Resistance to salt spray test	Grade 5 - UNI EN 1670
Hardness	2000/2500 Vickers
Resistance to solvents	UNLIMITED
Resistance to muriatic acid	UNLIMITED
Resistance to specific anti-calcareous products	UNLIMITED
Colourfastness in the presence of light (witout change)	UNLIMITED



PVD SATIN GUN METAL RANGE

TOLEDO AND COORDINATED SERIES

Toledo | 14

Door handles





L14MRL52-31 Inox PVD GM



L14MRL09-31 Inox PVD GM



L14MRL52-32 Inox PVD GM



L14MRL09-32 Inox PVD GM

Handle-Knob







L14RWL52 Inox PVD GM



L14RWF52 Inox PVD GM

Window handles



L14DK015 Inox PVD GM



L14DK075 Inox PVD GM



L14DKC80 Inox PVD GM



L14DKT80 Inox PVD GM



Toledo L14



Pull handles for lift and slide doors



L14MD000 Inox PVD GM



L14MD001 Inox PVD GM



L14MD010 Inox PVD GM



L14MD011 Inox PVD GM



L14LD000 Inox PVD GM

Piano

210

Fixed knob



210PFL52 Inox PVD GM

Door knob sets



Oval WC Sets



503NOL09 Inox PVD GM



503NOF09 Inox PVD GM

Frankfurt 25

D25MD

Single pull handle straight supports



D25MD046-C0 (C/C distance 300 mm) Inox PVD GM

Frankfurt 25 S

D25MS

Single pull handle offset supports



D25MS046-C0 (C/C distance 300 mm) Inox PVD GM



A GLOBAL PARTNER



