SKG-IKOB PRODUCTCERTIFICATE 637.472.01

Date of issue: 09-10-2023





GIESSE S.p.A. Via Tubertini 1 I-40054 Budrio (BO)

T: +39 51 8850677

E: infotechgiesse@schlegel.com

I: www.giesse.it



Declaration of SKG-IKOB

This certificate has been issued on the basis of BRL 3104 in accordance with the SKG-IKOB Regulations for Attestation, Certification and Inspection.

SKG-IKOB declares that the by or on behalf of the certificate owner produced building hardware product:

tilt and turn hardware

delivered under logo / brand:

Giesse

delivered under type- and / or article number:

Chic SKG2 , Futura SKG2

meets class 2 STER according BRL 3104 and NEN 5089: 2009 if the product is indelibly marked with the SKG mark, as shown above.

For SKG-IKOB

ir. H.A.J. van Dartel Certification manager

Verify at www.sterrenwijzer.nl if this certificate is still valid and actual. This certificate contains 2 pages.

SKG-IKOB Certificatie Poppenbouwing 56 4191 NZ Geldermalsen

Postbus 202 4190 CE Geldermalsen

T 088-2440100 info@skgikob.nl www.skgikob.nl



SKG-IKOB PRODUCTCERTIFICATE

GIESSE S.p.A.

Number: 637.472.01 page 2 of 2

1. PRODUCT TYPE tilt and turn hardware PRODUCT TYPE multipoint bolt

2. TECHNICAL SPECIFICATION

Operating: Mechanical operation

Construction: 1 operator with mechanism to minimum 8 mushrooms

with keeperplates

System: by SKG certified window handle

Material: rods: aluminium anozid keeper nok: steel chromate coated keeper plates: zamac

Dimension: rods: profile dependent

keeper plate: 60x22x14 mm

Fixing: rods en keeper plates: slides into profile groove

keeper plates:

2 Stainless steel screws Ø3,9 mm by at least 2 aluminium profile sheets

Intended use: metal, window-inward-opening

in metal façade elements

3. DELIVERY

The preconditions for correct installation and the fasteners to be used are described in the enclosed or digitally published installation instructions with the following version:

Turn (tilt) windows: 108560020QN-11-2018 108570020QN-11-2018 109360000QN-10-2019 109380010QN-03-2021

Inward turning double windows: I08560010QN/09-2018

I08570010QN/09-2018 I09360000QN-2019 I09380010QN-03-2021

Tilt sliding elements: d.n.a. Folding element:: d.n.a.

4. PERFORMANCES

A tilt and turn hardware according this certificate fulfils the relevant requirements of BRL 3104.

A window- or door set, in which this tilt and turn hardware is installed according the installation instructions of the certificate holder meets at least burglar resistance class (RC) 2 of NEN 5096 and EN 1627, if:

the façade element or the (profile-)system from which the element is manufactured is delivered under a (KOMO-)quality approval with respect to the aspect burglar resistance, in which the actual window or door type is admitted and the herein mentioned conditions are fulfilled.

A window or door, in existing buildings, in which this tilt and turn hardware is installed according the installation instructions of the certificate holder, meets the requirements of the Police Mark Save Housing (PKVW) - Existing Building, if:

the other aspects of the façade element also comply with the applicable PKVW Protection directive (publication CCV).