




CHAMPION PLUS MULTILOCK

Functions

Multilocking system, for aluminium sliding doors and windows, that can be operated with a single mechanism (window handle or recess handle).

Technical Features


Champion Plus is a locking system consisting of 3 different components:

1. Standard fastening rod or fastening rod with micro-ventilation
2. Fixing kit for standard fastening rods or fastening rods with micro-ventilation
3. Mechanisms


Depending on the type of sliding system used and the size of the sash, the appropriate fastening rod and fixing kit must be selected.

CHAMPION PLUS - VERSION WITH MICRO-VENTILATION


1. Closed window



2. Opening window




3. Window in micro-ventilation position




CHAMPION PLUS - STANDARD VERSION (WITHOUT MICRO-VENTILATION)

1. Closed window



2. Opening window





Functions

Online data sheet



Technical Features

Three versions are available:

- Backset 7.5 mm (1 to 3 locking points)
- Backset 15 mm (1 to 3 locking points)
- Backset 15 mm with lock (3 locking points)

All the rods are operated by traditional window handles or recess handles equipped with a 7 mm square pin.

These multi-locks have 2 operating positions:

- 1) 0° CLOSED SASH
- 2) 90° OPEN SASH

Depending on the series used, the rods have to be matched with specific coupling kits designed to adapt them to the various shapes of the profile.









The strength of the mushroom nib is greater than 150 kg.

The Champion Plus fastening rods with 2 and 3 locking points are compatible with the incorrect movement safety device art. 02770, which prevents the window handle from returning to the closed position with the sash open.


Materials

Zinc-plated steel lift-proof pin and rods

Box for rotor and nibs in zamak



Item code	Description	Backset	Lock	Incorrect Movement Safety Device Compatibility	Length	Window handle height	Locking points	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
0272001	CHAMPION PLUS ROD	7,5	NO	NO	270	> 130 + Y	1	X				4
0272101	CHAMPION PLUS ROD	7,5	NO	YES	600	> 300 + Y	2	X				4
0272201	CHAMPION PLUS ROD	7,5	NO	YES	1000	> 500 + Y	2	X				4
0630901	CHAMPION PLUS ROD	7,5	NO	Yes	1600	> 800 + Y	3	X				4
0272301	CHAMPION PLUS ROD	7,5	NO	YES	1800	> 900 + Y	3	X				4
0272401	CHAMPION PLUS ROD	15	NO	NO	270	> 130 + Y	1	X				4
0272501	CHAMPION PLUS ROD	15	NO	YES	600	> 300 + Y	2	X				4
0272601	CHAMPION PLUS ROD	15	NO	YES	1000	> 500 + Y	2	X				4
0631001	CHAMPION PLUS ROD	15	NO	YES	1600	> 800 + Y	3	X				4
0272701	CHAMPION PLUS ROD	15	NO	YES	1800	> 900 + Y	3	X				4
0272801	CHAMPION PLUS ROD WITH LOCK	15	YES	YES	1800	> 900 + Y	3	X				4



KIT DI FISSAGGIO CHAMPION PLUS

Funzioni

Il kit di fissaggio è necessario per applicare in maniera corretta e duratura un'asta Champion in uno specifico sistema scorrevole in alluminio ed ottenere la funzione di micro-ricircolo di aria.

Scheda tecnica on-line



Caratteristiche Tecniche

Il kit di fissaggio Champion Plus con microventilazione è disponibile in 3 versioni:

- per multichiusura 1 punto
- per multichiusura 2 punti
- per multichiusura 3 punti

Il kit di fissaggio Champion Plus solitamente prevede tutti quei componenti necessari per applicare l'asta di chiusura in uno specifico sistema scorrevole in alluminio.

In questi kit sono quindi generalmente presenti:

- Spessori di adattamento asta al profilo anta
- Contropiastre telaio
- Spessori di adattamento contropiastra telaio
- Elemento anti-sollevamento
- Viti di fissaggio
- Tubi distanziatori martellina

Gli spessori di adattamento asta si agganciano ad essa a scatto facilitando le operazioni di installazione della ferramenta.

Questi adattatori a seconda del sistema scorrevole utilizzato prevedono differenti sistemi di fissaggio:

- diretto al profilo, in cui la vite fa presa direttamente sul profilo anta
- ad espansione (brevettato Giesse) in cui l'adattatore si allarga e si ancora al profilo anta senza necessità di forature

Materiali


Spessori di adattamento asta al profilo, spessori contropiastra e distanziatori martellina in poliammide grigia

Viti di fissaggio asta al profilo in acciaio inox


Contropiastra telaio in acciaio zincato

Elemento antisollevamento e divaricatore (se previsto) in zama pressofusa


Tipo 1




Tipo 2




Tipo 3




Tipo 4




Tipo 5




Tipo 6




Tipo 7




Tipo 8




Tipo 9




Tipo 10




Tipo 11




Tipo 12




Tipo 13




Tipo 14




Tipo 15




Tipo 16




Tipo 17




Tipo 18




Tipo 19




Tipo 20




Tipo 21




Tipo 22



Fissaggio diretto (A1)




Fissaggio a espansione (A2)



Codice	Descrizione	Descrizione	Asta da abbinare	Tipo	Fissaggio asta su anta	Base Grezzo	Anodizzato Elox	Verniciato	Trend/Oro Ottone	Pezzi per confezione
06040	KIT CHAMPION PLUS - 2 P.	KIT CHAMPION PLUS - 2 P.	02721 - 02722 - 02725 - 02726	20	Diretto (A1)	X				8
06044	KIT CHAMPION PLUS - 2 P.	KIT CHAMPION PLUS - 2 P.	02721 - 02722 - 02725 - 02726	15	Diretto (A1)	X				8
06045	KIT CHAMPION PLUS - 3 P.	KIT CHAMPION PLUS - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	15	Diretto (A1)	X				8
06046	KIT CHAMPION PLUS - 2 P.	KIT CHAMPION PLUS - 2 P.	02721 - 02722 - 02725 - 02726	21	Diretto (A1)	X				8
06047	KIT CHAMPION PLUS - 3 P.	KIT CHAMPION PLUS - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	21	Diretto (A1)	X				8
06048	KIT CHAMPION PLUS - 3 P.	KIT CHAMPION PLUS - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	20	Diretto (A1)	X				8
06112	KIT CHAMPION PLUS - 2 P.	KIT CHAMPION PLUS - 2 P.	02721 - 02722 - 02725 - 02726	20	Diretto (A1)	X				8
06113	KIT CHAMPION PLUS - 3 P.	KIT CHAMPION PLUS - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	20	Diretto (A1)	X				8
06116	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	22	Diretto (A1)	X				8
06117	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	22	Diretto (A1)	X				8
06231	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	1	Diretto (A1)	X				8
06232	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	1	Diretto (A1)	X				8
06233	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	1	Diretto (A1)	X				8
06301	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	2	Diretto (A1)	X				8
06302	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	2	Diretto (A1)	X				8
06303	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	2	Diretto (A1)	X				8
06311	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	3	Espansione (A2)	X				8
06312	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	3	Espansione (A2)	X				8
06313	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	3	Espansione (A2)	X				8
06321	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	4	Espansione (A2)	X				8
06322	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	4	Espansione (A2)	X				8
06323	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	4	Espansione (A2)	X				8
06325	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	9	Diretto (A1)	X				8
06326	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	9	Diretto (A1)	X				8
06332	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	5	Espansione (A2)	X				8
06333	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	5	Espansione (A2)	X				8
06342	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	6	Diretto (A1)	X				8
06343	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	6	Diretto (A1)	X				8
06351	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	7	Diretto (A1)	X				8

Codice	Descrizione	Descrizione	Asta da abbinare	Tipo	Fissaggio asta su anta	Base Grezzo	Anodizzato Elox	Verniciato	Trend/Oro Ottone	Pezzi per confezione
06352	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	7	Diretto (A1)	X				8
06353	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	7	Diretto (A1)	X				8
06362	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	8	Espansione (A2)	X				8
06371	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	2	Diretto (A1)	X				8
06372	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	2	Diretto (A1)	X				8
06373	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	2	Diretto (A1)	X				8
06381	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	10	Diretto (A1)	X				8
06382	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	10	Diretto (A1)	X				8
06383	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	10	Diretto (A1)	X				8
06391	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	11	Diretto (A1)	X				8
06392	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	11	Diretto (A1)	X				8
06393	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	11	Diretto (A1)	X				8
06421	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	12	Diretto (A1)	X				8
06422	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	12	Diretto (A1)	X				8
06423	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	12	Diretto (A1)	X				8
06431	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	13	Diretto (A1)	X				8
06441	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	14	Diretto (A1)	X				8
06443	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	14	Diretto (A1)	X				8
06451	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	15	Diretto (A1)	X				8
06452	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	15	Diretto (A1)	X				8
06453	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	15	Diretto (A1)	X				8
06461	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	16	Diretto (A1)	X				8
06462	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	16	Diretto (A1)	X				8
06463	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	16	Diretto (A1)	X				8
06471	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	17	Diretto (A1)	X				8
06472	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	17	Diretto (A1)	X				8
06473	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	17	Diretto (A1)	X				8
06481	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	18	Diretto (A1)	X				8
06482	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	18	Diretto (A1)	X				8
06483	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	18	Diretto (A1)	X				8
06491	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02720 - 02724	19	Adattatori e viti di fissaggio lato anta non presenti nel kit	X				8
06492	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02721 - 02722 - 02725 - 02726	19	Adattatori e viti di fissaggio lato anta non presenti nel kit	X				8
06493	KIT CHAMPION PLUS	KIT CHAMPION PLUS	02723 - 02727 - 02728 - 06309 - 06710	19	Adattatori e viti di fissaggio lato anta non presenti nel kit	X				8
06792	KIT CHAMPION PLUS - 2 P.	KIT CHAMPION PLUS - 2 P.	02721 - 02722 - 02725 - 02726	20	Diretto (A1)	X				8
06793	KIT CHAMPION PLUS - 3 P.	KIT CHAMPION PLUS - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	20	Diretto (A1)	X				8



INCORRECT MOVEMENT SAFETY DEVICE

Functions

Device that prevents, with the sash open, bringing the hardware into the closed position.

Online data sheet





Technical Features


Easily fitted on all Champion Plus Multilocks with 2 or 3 locking points.
Acts as protection for the hardware preventing accidental impact between the ribs and counterplates.
Prevents the user of the window from inadvertently putting the window handle into the closed position when the sash is open.
Only when the sash is closed and then moved next to the frame will the device unlock and allow turning the pull handle and subsequently closing the sash.
It can be used in combination with all Champion Plus rods without micro-ventilation.
Compatible with Champion Plus rods with micro-ventilation only with cremone locked at 90°.

Materials

Incorrect movement safety device body and button made of die-cast zamak
Return spring made of harmonic steel
Stainless steel fixing screw
Frame striker of polyamide



A = contained in the Champion Plus fixing kit



Item code	Description	Can be combined with	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
02770	INCORRECT MOVEMENT SAFETY DEVICE	0272101 - 0272201 - 0272301 - 0272501 - 0272601 - 0272701 - 0272801 - 0630901 - 0631001	X				8



PRIMA CHAMPION PLUS WINDOW HANDLE

Functions

Window handle that is applied on the main sash of a sliding casement.

Online data sheet





Technical Features


Two versions are available, single and double (balcony doors), the Prima window handle provides easy operation of the Champion Plus multi-lock. Equipped with a 7 mm square pin and a positioner for stopping the handle at 0° and 180°.

Materials

Handle, plate-cover and rotor in die-cast zamak
Square pin and screws in stainless steel
Polyamide plate



Item code	Description	PROFILE CROSS - SECTION	Applicable	Base Raw	Anodised Elox	Painted	Trend/ Gold Brass	Pieces per pack
02762	PRIMA WINDOW HANDLE	C001-C002-C003-C004-C005-C006-C007-C009-C010-C011-C012-C013-C014-C015-C016-C017-P001-P002-P003-P004-P005-P006-P007-P008-P009-P010	internal	X		X	X	5
02763	DOUBLE PRIMA WINDOW HANDLE	-	internal/external	X		X	X	5



RECESSED WINDOW HANDLE

Functions

Window handle that is applied on the secondary sash of a sliding casement.

Online data sheet




Technical Features

Not being top-hung, it allows overlapping the sashes.
Equipped with a 7 mm square pin and a positioner for stopping the handle at 0° and 180°.
The product has its own system for fixing to the stand-alone profile compared to the M5x25 screws fastening the window handle to the internal mechanism.
Depending on the shape of the sash profile, the manufacturer will decide on how to prepare the recessed window handle with parts A or B so that the product is anchored in an effective and long-lasting manner.







Materials

External body, pull handle and fixing components made of die-cast zamak
Square pin and fixing screws in zinc plated steel
Hostaform snap disk
Locking washer made of harmonic steel


art. 02760



art. 02761



Item code	Description	Applicable	Notes	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
02760	RECESSED WINDOW HANDLE	internal		X		X	X	8
02761	RECESSED WINDOW HANDLE	internal	Alu/wood or Alu profiles > 37 mm	X		X	X	8



EXTERNAL RECESS PULL HANDLE

Functions

The external recess pull handle has the function of pulling a sliding sash and works in conjunction with a window handle on the inside of the casement.

Online data sheet



Technical Features



The external recess pull handle has the function of pulling a sliding sash and works in conjunction with a window handle on the inside of the casement. This article is fitted externally and performs the function of pulling a sliding sash.

This product works in combination with the recess window handle or in combination with the Prima window handle.


The metric screws supplied with the window handle for the inside are screwed into the external recess handle, joining the 2 products with the profile

Materials

External body and lever made of die-cast zamak
Zinc plated steel screws



Item code	Description	Applicable	Can be combined with	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
02764	EXTERNAL RECESS PULL HANDLE	external	02760-02761-02762	X		X	X	8





BLIND INTERNAL RECESS PULL HANDLE

Functions
Blind recess handle to be applied on the opposite sash which has the sole function of drawing.

Online data sheet



Materials
Die-cast zamak coupling teeth and body
Stainless steel locking grub screw



Item code	Description	Applicable	Notes	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
02765	BLIND INTERNAL RECESS PULL HANDLE	internal	Opposing sashes	X		X	X	8