STAINLESS STEEL CHAMPION PLUS CLOSING RODS

Functions

Complete system of multi-lock rods (1 to 3 points) for sliding windows or balcony-doors made of aluminium.

Online data sheet

SHIELDMAX 5

Technical Features

Three versions are available:
- Backset 7.5 mm (1 to 3 locking points)
- Backset 15 mm (1 to 3 locking points)
- Backset 15 mm with lock (3 locking points)

All the rods are operated by traditional window handles or recess handles equipped with a 7 mm square pin.
These multi-locks have 2 operating positions:
1) 0° CLOSED SASH
2) 90° OPEN SASH
Depending on the series used, the rods have to be matched with specific coupling kits designed to adapt them to the various shapes of the profile.
The strength of the mushroom nib is greater than 150 kg.
With stainless steel rods, the hardware reaches corrosion class 5.
The Champion Plus fastening rods with 2 and 3 locking points are compatible with the incorrect movement safety device art. 02770, which prevents the window handle from returning to the closed position with the sash open.

Materials

AISI 304 steel rods
Zinc-plated steel lift-proof pin
Box for rotor and nibs in zamak



GIESSE

Item code	Description	Backset	Lock	Incorrect Movement Safety Device Compatibility	Length	Window handle height	Locking points	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
06454	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	7,5	NO	NO	300	> 140 + Y	1	X				4
06455	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	7,5	NO	YES	600	> 300 + Y	2	X				4
06456	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	7,5	NO	YES	1000	> 500 + Y	2	X				4
06457	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	7,5	NO	Yes	1600	> 800 + Y	3	X				4
06458	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	7,5	NO	YES	1800	> 900 + Y	3	X				4
06464	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	15	NO	NO	300	> 140 + Y	1	X				4
06465	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	15	NO	YES	600	> 300 + Y	2	X				4
06466	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	15	NO	YES	1000	> 500 + Y	2	X				4
06467	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	15	NO	YES	1600	> 800 + Y	3	X				4
06468	STAINLESS STEEL CHAMPION PLUS CLOSING RODS	15	NO	YES	1800	> 900 + Y	3	X				4
06469	STAINLESS STEEL CHAMPION PLUS ROD WITH LOCK	15	YES	YES	1800	> 900 + Y	3	X				4

CHAMPION PLUS FIXING KIT

Functions

The fixing kit is necessary to correctly and durably apply a Champion rod in a specific aluminium sliding system and to obtain the micro-air circulation function.

Online data sheet

Technical Features

The Champion Plus fixing kit with micro-ventilation is available in 3 versions:
• for 1 point multi-lock
• for 2 point multi-lock
• for 3 point multi-lock
The Champion Plus fixing kit usually includes all those components necessary to apply the fastening rod in a specific aluminium sliding system.
These kits therefore generally include:
• Shims to adapt the rod to the sash profile
• Frame counterplates
• Frame counterplate adjustment shims
• Lift-proof component
• Fixing screws
• Window handle spacer tubes
The rod adjustment shims snap into place, facilitating hardware installation operations.
Depending on the sliding system used, these adapters provide different fixing systems:
• direct to the profile, in which the screw grips directly in the sash profile
• with expansion (patented by Giesse) in which the adapter expands and anchors to the sash profile without the need for drilling

Materials

Shims for adapting the rod to the profile, counterplate shims and window handle spacers of grey polyamide
Screws for fixing rod to profile in stainless steel
Frame counterplate made of zinc plated steel
Anti-lift component and retractor (where applicable) made of die-cast zamak

Type 1



Type 2



Type 3



Type 4



Type 5



Type 6



Type 7



Type 8



Type 9



Type 10



Type 11



Type 12



Type 13



Type 14



Type 15



Type 16



Type 17



Type 18



Type 19



Type 20



Type 21



Type 22



Direct fixing (A1)



Expansion fixing (A2)



Item code	Description	Rod for matching	Type	Rod fixing to sash	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
06040	CHAMPION PLUS KIT - 2 P.	02721 - 02722 - 02725 - 02726	20	Direct (A1)	X				8
06044	CHAMPION PLUS KIT - 2 P.	02721 - 02722 - 02725 - 02726	15	Direct (A1)	X				8
06045	CHAMPION PLUS KIT - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	15	Direct (A1)	X				8
06046	CHAMPION PLUS KIT - 2 P.	02721 - 02722 - 02725 - 02726	21	Direct (A1)	X				8
06047	CHAMPION PLUS KIT - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	21	Direct (A1)	X				8
06048	CHAMPION PLUS KIT - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	20	Direct (A1)	X				8
06112	CHAMPION PLUS KIT - 2 P.	02721 - 02722 - 02725 - 02726	20	Direct (A1)	X				8
06113	CHAMPION PLUS KIT - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	20	Direct (A1)	X				8
06116	CHAMPION PLUS KIT	02721 – 02722 – 02725 – 02726	22	Direct (A1)	X				8
06117	CHAMPION PLUS KIT	02723 – 02727 – 02728 – 06309 - 06710	22	Direct (A1)	X				8
06231	CHAMPION PLUS KIT	02720 - 02724	1	Direct (A1)	X				8
06232	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	1	Direct (A1)	X				8
06233	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	1	Direct (A1)	X				8
06301	CHAMPION PLUS KIT	02720 - 02724	2	Direct (A1)	X				8
06302	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	2	Direct (A1)	X				8
06303	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	2	Direct (A1)	X				8
06311	CHAMPION PLUS KIT	02720 - 02724	3	Expansion fixing (A2)	X				8
06312	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	3	Expansion fixing (A2)	X				8
06313	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	3	Expansion fixing (A2)	X				8
06321	CHAMPION PLUS KIT	02720 - 02724	4	Expansion fixing (A2)	X				8
06322	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	4	Expansion fixing (A2)	X				8
06323	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	4	Expansion fixing (A2)	X				8
06325	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	9	Direct (A1)	X				8
06326	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	9	Direct (A1)	X				8
06332	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	5	Expansion fixing (A2)	X				8
06333	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	5	Expansion fixing (A2)	X				8
06342	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	6	Direct (A1)	X				8
06343	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	6	Direct (A1)	X				8
06351	CHAMPION PLUS KIT	02720 - 02724	7	Direct (A1)	X				8

Item code	Description	Rod for matching	Type	Rod fixing to sash	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
06352	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	7	Direct (A1)	X				8
06353	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	7	Direct (A1)	X				8
06362	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	8	Expansion fixing (A2)	X				8
06371	CHAMPION PLUS KIT	02720 - 02724	2	Direct (A1)	X				8
06372	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	2	Direct (A1)	X				8
06373	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	2	Direct (A1)	X				8
06381	CHAMPION PLUS KIT	02720 - 02724	10	Direct (A1)	X				8
06382	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	10	Direct (A1)	X				8
06383	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	10	Direct (A1)	X				8
06391	CHAMPION PLUS KIT	02720 - 02724	11	Direct (A1)	X				8
06392	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	11	Direct (A1)	X				8
06393	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	11	Direct (A1)	X				8
06421	CHAMPION PLUS KIT	02720 - 02724	12	Direct (A1)	X				8
06422	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	12	Direct (A1)	X				8
06423	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	12	Direct (A1)	X				8
06431	CHAMPION PLUS KIT	02720 - 02724	13	Direct (A1)	X				8
06441	CHAMPION PLUS KIT	02720 - 02724	14	Direct (A1)	X				8
06443	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	14	Direct (A1)	X				8
06451	CHAMPION PLUS KIT	02720 - 02724	15	Direct (A1)	X				8
06452	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	15	Direct (A1)	X				8
06453	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	15	Direct (A1)	X				8
06461	CHAMPION PLUS KIT	02720 - 02724	16	Direct (A1)	X				8
06462	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	16	Direct (A1)	X				8
06463	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	16	Direct (A1)	X				8
06471	CHAMPION PLUS KIT	02720 - 02724	17	Direct (A1)	X				8
06472	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	17	Direct (A1)	X				8
06473	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	17	Direct (A1)	X				8
06481	CHAMPION PLUS KIT	02720 - 02724	18	Direct (A1)	X				8
06482	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	18	Direct (A1)	X				8
06483	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	18	Direct (A1)	X				8
06491	CHAMPION PLUS KIT	02720 - 02724	19	Sash side adapters and fixing screws not included in the kit	X				8
06492	CHAMPION PLUS KIT	02721 - 02722 - 02725 - 02726	19	Sash side adapters and fixing screws not included in the kit	X				8
06493	CHAMPION PLUS KIT	02723 - 02727 - 02728 - 06309 - 06710	19	Sash side adapters and fixing screws not included in the kit	X				8
06792	CHAMPION PLUS KIT - 2 P.	02721 - 02722 - 02725 - 02726	20	Direct (A1)	X				8
06793	CHAMPION PLUS KIT - 3 P.	02723 - 02727 - 02728 - 06309 - 06710	20	Direct (A1)	X				8

INCORRECT MOVEMENT SAFETY DEVICE

Functions

Device that prevents, with the sash open, bringing the hardware into the closed position.

Online data sheet

Technical Features

Easily fitted on all Champion Plus Multilocks with 2 or 3 locking points.
Acts as protection for the hardware preventing accidental impact between the nibs and counterplates.
Prevents the user of the window from inadvertently putting the window handle into the closed position when the sash is open.
Only when the sash is closed and then moved next to the frame will the device unlock and allow turning the pull handle and subsequently closing the sash.
It can be used in combination with all Champion Plus rods without micro-ventilation.
Compatible with Champion Plus rods with micro-ventilation only with cremone locked at 90°.

Materials

Incorrect movement safety device body and button made of die-cast zamak
Return spring made of harmonic steel
Stainless steel fixing screw
Frame striker of polyamide





A = contained in the Champion Plus fixing kit



Item code	Description	Can be combined with	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
02770	INCORRECT MOVEMENT SAFETY DEVICE	0272101 - 0272201 - 0272301 - 0272501 - 0272601 - 0272701 - 0272801 - 0630901 - 0631001	X				8

PRIMA CHAMPION PLUS WINDOW HANDLE

Functions
Window handle that is applied on the main sash of a sliding casement.

Online data sheet

Technical Features
Two versions are available, single and double (balcony doors), the Prima window handle provides easy operation of the Champion Plus multi-lock.
Equipped with a 7 mm square pin and a positioner for stopping the handle at 0° and 180°.

Materials
Handle, plate-cover and rotor in die-cast zamak
Square pin and screws in stainless steel
Polyamide plate

art. 02762



art. 02763



Item code	Description	PROFILE CROSS - SECTION	Applicable	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
02762	PRIMA WINDOW HANDLE	C001-C002-C003-C004-C005-C006-C007-C009-C010-C011-C012-C013-C014-C015-C016-C017-P001-P002-P003-P004-P005-P006-P007-P008-P009-P010	internal	X		X	X	5
02763	DOUBLE PRIMA WINDOW HANDLE	-	internal/external	X		X	X	5

RECESSED WINDOW HANDLE

Functions

Window handle that is applied on the secondary sash of a sliding casement.

Online data sheet

Technical Features

Not being top-hung, it allows overlapping the sashes.
Equipped with a 7 mm square pin and a positioner for stopping the handle at 0° and 180°.
The product has its own system for fixing to the stand-alone profile compared to the M5x25 screws fastening the window handle to the internal mechanism.
Depending on the shape of the sash profile, the manufacturer will decide on how to prepare the recessed window handle with parts A or B so that the product is anchored in an effective and long-lasting manner.

Materials

External body, pull handle and fixing components made of die-cast zamak
Square pin and fixing screws in zinc plated steel
Hostaform snap disk
Locking washer made of harmonic steel



art. 02760





art. 02761







Item code	Description	Applicable	Notes	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
02760	RECESSED WINDOW HANDLE	internal		X		X	X	8
02761	RECESSED WINDOW HANDLE	internal	Alu/wood or Alu profiles > 37 mm	X		X	X	8

EXTERNAL RECESS PULL HANDLE

Functions

The external recess pull handle has the function of pulling a sliding sash and works in conjunction with a window handle on the inside of the casement.

Online data sheet

Technical Features

The external recess pull handle has the function of pulling a sliding sash and works in conjunction with a window handle on the inside of the casement.
This article is fitted externally and performs the function of pulling a sliding sash.
This product works in combination with the recess window handle or in combination with the Prima window handle.
The metric screws supplied with the window handle for the inside are screwed into the external recess handle, joining the 2 products with the profile

Materials

External body and lever made of die-cast zamak
Zinc plated steel screws



A: out
B: in



Item code	Description	Applicable	Can be combined with	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
02764	EXTERNAL RECESS PULL HANDLE	external	02760-02761-02762	X		X	X	8

BLIND INTERNAL RECESS PULL HANDLE

Functions

Blind recess handle to be applied on the opposite sash which has the sole function of drawing.

Online data sheet

Materials

Die-cast zamak coupling teeth and body
Stainless steel locking grub screw



A: out
B: in



Item code	Description	Applicable	Notes	Base Raw	Anodised Elox	Painted	Trend/Gold Brass	Pieces per pack
02765	BLIND INTERNAL RECESS PULL HANDLE	internal	Opposing sashes	X		X	X	8